



SECTION A-A

CIRCLE TRAIL CONNECTION

NOT TO SCALE

GENERAL NOTES:

1. APPROVAL REQUIRED FROM PARKS AND RECREATION FOR THE CIRCLE TRAIL CONNECTION, CONTACT PARKS AND RECREATION AT 940-761-7490.
2. ENCROACHMENT AGREEMENT REQUIRED FOR THE CIRCLE TRAIL CONNECTION, CONTACT PROPERTY MANAGEMENT AT 940-761-8816.
3. TRAIL CONNECTION SHALL BE MADE AS PERPENDICULAR TO EXISTING TRAIL AS POSSIBLE.
4. SIDEWALK REINFORCING SHALL BE #4 BARS @ 18" O.C.E.W. AND DOWELLED INTO EXISTING TRAIL
5. ALL CONCRETE SHALL BE CLASS "C", (COMPRESSIVE STRENGTH OF 3,600 PSI. @ 28 DAYS.)
6. SAND SHALL NOT BE ACCEPTED AS COMPACTED SUBGRADE. SAND WILL BE ALLOWED FOR LEVEL-UP ONLY.
7. INSTALLATION MAY REQUIRE PIPE AND DITCH WORK TO ACCOMMODATE DRAINAGE.

DISCLAIMER: The use of this standard is governed by the City of Wichita Falls Engineering Department. No warranty of any kind is made by the City of Wichita Falls for any purpose whatsoever. The City of Wichita Falls assumes no responsibility for the conversion of this standard to other formats for incorrect results or damages resulting from its use.

<p>APPROVED</p> <p><i>David Powell, P.E.</i></p> <p>CITY ENGINEER</p>	<p>CITY OF WICHITA FALLS, TX</p> <p>ENGINEERING DIVISION</p> <p>AUGUST 2015</p>	<p>CIRCLE TRAIL CONNECTION</p> <hr/> <p>DETAIL NO. 2210</p>
<p>8-7-15</p> <p>DATE</p>		